

Megohm ProbeMeter™

Applications:

Portability lends itself well to field service personnel with many resistance measurement uses. Ideal for acceptance testing and preventative maintenance of cables, wire harnesses, and motors.



Dimensions:
7" x 1.7" x 1.6"
(17.8 x 4.3 x 4 mm)

Ranges:

| | Range | Resolution | Accuracy (%rdg+digits) |
|--------------------------|--|------------|-------------------------------------|
| Insulation Resistance: | 20MΩ | 0.01MΩ | ±(2% + 2d) |
| | 2000MΩ | 1MΩ | <500MΩ ±(4% + 2d) >500MΩ ±(5% + 2d) |
| Insulation Test Voltage: | 1000V | | |
| Power Source: | Four 1.5V AAA batteries; External Jack; 200hr battery life | | |

Features:

- 1000 V. Test Voltage
- Two Ranges: 20 Megohm & 2000 Megohm, with 2 % basic accuracy.
- Auto Hold and Auto Power Off
- Large 3-1/2 Digit (1999 count) multifunction backlit LCD Display.

Megohm ProbeMeter complete with carrying case and 4 AAA batteries **Catalog Number** MEGT403360
Net Weight with accessories and case 10 ozs., Shipping Weight 2 Lbs.

Insulation Tester/Megohmmeter

Features:

- Power Lock for 3 minute Test
- Overload Protection
- Large 0.65 LCD Display

Ranges:

2000 Megohms @ 1000 VDC
200 Megohms @ 500 VDC
200 Megohms @ 250 VDC
200 Ohms
600 Volts

Power Lock for 3 minute Test

Overload Protection

Large 0.65 LCD Display

Insulation Tester/Megohmmeter with 6 - 1-1/2V batteries, test leads and case **Catalog Number** INST380360
Net Weight 2 Lbs., Shipping Weight 3 Lbs.



Dimensions:
6" x 4" x 2-1/2"
15.2 x 10.2 x 6.4 cm

Major Megger® Insulation and Continuity Tester

The rugged taut-band movement and all electronic circuitry assure maximum accuracy, reliability and durability.

Powered by an easy to crank, brushless D.C. generator driving solid state circuitry, this field model is always ready for use with no dependence on batteries or line power.

This unit is housed in an impact resistant poly carbonate case with a carrying handle which folds flush into the case.

Readings are shown directly on an analog meter with a large, clear white-on-black scale.

Ranges:

0 to 2000 Megohms @ DC Test Voltages: 100V, 250V, 500V, & 1000V
Resistance: 0-5000 Ohms



Dimensions:
5" x 4.5" x 7"
12.7 x 11.4 x 17.8 cm

Model 212159 Major Megger Insulation and Continuity Tester with 6 ft. leads and carrying case **Catalog Number** MEGT212159
Net Weight 2-1/2 Lbs., Shipping Weight 6 Lbs.



MARTINDALE • PO Box 430 • Cleveland, OH 44107
Phone (216) 521-8567 • Fax Local 521-9476 / USA & Canada (800) 344-9191
E-Mail: sales@martindaleco.com
Web Site: www.martindaleco.com